

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14799	370/229-235,401.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:09
S2	1069	(load\$3 near3 (shar\$3 or balanc\$3)) and ICMP	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:10
S3	25188475	(@rlad<"20030803" or @ad<"20030803" or @ptad<"20030803")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:11
S4	10276	S1 S3	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:12
S5	133	S2 S4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:12
S6	133	S5 (router or gateway or switch)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:12
S7	400593	(router or gateway or switch) with (choos\$3 or select\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:14
S8	55	S6 S7	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:14
S9	241267	(router or gateway or switch) near3 (choos\$3 or select\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:57
S10	43	S6 S9	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 13:57

S11	660	(router or switch) near3 (select \$3 or choos\$3) near8 (algorithm)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 14:44
S12	499	S3 S11	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 14:44
S13	36	S1 S12	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 14:45
S14	127058	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 15:08
S15	134	S12 S14	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 15:08
S16	89	(algorithm near8 (each or every or all) near2 (router or switch))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 17:33
S18	7904	ARP same (respon\$5 or return \$3 or repl\$5 or ack or acknowledg\$6 or NAK)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 17:34
S19	0	S16 S18	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 17:34
S20	1383	((algorithm or select\$3 or choos\$3) near8 (each or every or all) near2 (router or switch))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 17:37
S21	1	S18 S20	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 17:37
S22	5456	(each or every or all) near8 (router or switch) same (select \$3 or choos\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 18:52

S23	1881	ARP with (router or switch)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 18:53
S24	45	S22 S23	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 18:53
S25	29	S3 S24	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/09/10 18:53

9/11/2008 12:08:06 PM